SAFETY DATA SHEET

1. Identification

Product identifier EX-74 Resin

Other means of identification

SDS number 23500R

12025, 23500, 23500C. **Product code** Recommended use **High Gloss Coating**

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Environmental Technology, Inc. Company name

Address 300 S. Bay Depot Road

> CA 95537, USA. 001 707-443-9323

Fields Landing

Telephone number E-maill mail@eti-usa.com **Contact person Technical Director**

800-424-9300 (CHEMTREC) **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wear protective gloves/eye protection/face protection. Wash

thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/information on ingredients

Mixtures

EX-74 Resin SDS US 1/7

Version #: 03 Revision date: 21-July-2019 919406 Issue date: 17-April-2014

Chemical name	CAS number	%
Epoxy Resin	Proprietary	60-99
Oxirane, Mono[(C12-14-alkyloxy)methyl] derivs.	Proprietary	1-40

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and

wash before reuse.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Eve contact

Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having

convulsions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

General information

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

During fire, hazardous combustion products are released that may include: Carbon oxides (COx). Nitrogen Oxides (NOx).

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions Specific methods

In case of fire do not breath fumes. Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Avoid contact with skin and eyes. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

EX-74 Resin SDS US

7. Handling and storage

Precautions for safe handling Keep out of reach of children. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and

clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the

environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves. The most suitable glove must be chosen in consultation with the gloves

supplier, who can inform about the breakthrough time of the glove material.

Skin protection

Other

Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection

No specific recommendation made, but respiratory protection may still be required under

exceptional circumstances when excessive air contamination exists.

Wear appropriate thermal protective clothing, when necessary.

Thermal hazards

General hygiene

considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Viscous liquid. **Appearance**

Physical state Liquid. Liquid. **Form** Clear. Color Odor Slight.

Odor threshold Not available. Not available. рΗ Melting point/freezing point Not available. Initial boiling point and boiling 352.4 °F (178 °C)

range

Flash point 329.0 °F (165.0 °C) Setaflash Seta Closed Cup

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

EX-74 Resin 3/7

919406 Version #: 03 Revision date: 21-July-2019 Issue date: 17-April-2014

< 1 Vapor pressure

Not available. Vapor density

Relative density 1.15

Solubility(ies)

Slightly soluble Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature**

3500 cP (170.6 °F (77 °C)) **Viscosity**

Other information

Density 9.60 lb/gal Percent volatile 0 % (VOC)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid high temperatures. Contact with incompatible materials. Heating this resin above 300°F in

the presence of air may cause slow oxidative decomposition.

When product is mixed with Part B and left in a large mass a vigorous exothermic reaction may

occur, and may result in charring of the reactants.

Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Incompatible materials

Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Causes serious eve irritation. Eye contact

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. May be

harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain.

Rash. Dermatitis.

Information on toxicological effects

Acute toxicity Not expected to be a hazard under normal conditions of intended use. May be harmful if

swallowed.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Resins of this type, liquid resins based on BisPhenoIA/Epichlorohydrin (Epoxy Resin), have proved

to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

SDS US EX-74 Resin 4/7 919406 Version #: 03 Revision date: 21-July-2019 Issue date: 17-April-2014

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity Not classified. Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard. **Chronic effects** Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available on bioaccumulation.

No data available. Mobility in soil Other adverse effects None known.

13. Disposal considerations

Disposal instructions Dispose of in accordance with federal, provincial and local regulations. Do not discharge into

drains, water courses or onto the ground.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Dispose in accordance with applicable federal, state, and local regulations. Contaminated packaging

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA) All components of the mixture on the TSCA 8(b) inventory are designated

"active".

EX-74 Resin SDS US 5/7 919406 Version #: 03 Revision date: 21-July-2019 Issue date: 17-April-2014

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Skin corrosion or irritation

Classified hazard categories

Serious eye damage or eye irritation Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

California Proposition 65



WARNING: This product can expose you to Oxirane, 2-(-(phenoxymethyl)-, which is known to the State of

California to cause cancer, and Phenol, 4,4'-(1-methylethylidene)bis, which is known to the State of

On inventory (yes/no)*

Yes

California to cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) Listed: October 1, 1990

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) Listed: May 11, 2015

International Inventories

Country(s) or region

United States & Puerto Rico

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

EX-74 Resin SDS US 6/7

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-April-2014
Revision date 21-July-2019

Version # 03

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer Environmental Technology, Inc. cannot anticipate all conditions under which this information and

its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

EX-74 Resin SDS US