SAFETY DATA SHEET

1. Identification

Product identifier EasyCast Resin

Other means of identification

SDS number 7511860

Product code 33008, 33008 MICHAELS, 33008C MICHAELS, 33010M, 33016, 33032, 33100, 33128, 33640,

33640R, 33201, 33202, 33203, 33204, 33205, MICHAELS SKUs: 408248, 408249, 408250,

408251, 408252, 408253, 408254, 408255

Casting Epoxy. Recommended use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Environmental Technology, Inc. Company name

300 S. Bay Depot Road **Address**

> Fields Landing CA 95537, USA. 001 707-443-9323 mail@eti-usa.com

E-maill **Contact person Technical Director**

800-424-9300 (CHEMTREC) **Emergency phone number**

2. Hazard(s) identification

Telephone number

Not classified. **Physical hazards**

Skin corrosion/irritation **Health hazards** Category 2

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Germ cell mutagenicity Category 2

OSHA defined hazards Not classified.

Label elements



Warning Signal word

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Suspected of causing genetic defects.

Precautionary statement

Obtain special instructions before use. Do not handle until all safety precautions have been read Prevention

and understood. Avoid breathing mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing must not

be allowed out of the workplace.

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Store locked up. **Storage**

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

EasyCast Resin SDS US 904011 Version #: 03 Revision date: 22-July-2019 Issue date: 21-July-2014

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Epoxy Resins	Proprietary	>50
Phenyl Ether Alcohol Compound	Proprietary	<50

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and

wash before reuse.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Eye contact

Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having

convulsions. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delaved

Indication of immediate

medical attention and special treatment needed

General information

Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed such as: Carbon oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire do not breath fumes. Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Avoid contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

EasyCast Resin SDS US

904011 Version #: 03 Revision date: 22-July-2019 Issue date: 21-July-2014

7. Handling and storage

Precautions for safe handling Keep out of reach of child

Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store away from incompatible materials (see Section 10 of the SDS). Read and follow manufacturer's

recommendations.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eve/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Chemical resistant gloves. The most suitable glove must be chosen in consultation with the gloves

supplier, who can inform about the breakthrough time of the glove material.

Skin protection

Other

Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

No specific recommendation made, but respiratory protection may still be required under

Respiratory protection

exceptional circumstances when excessive air contamination exists.

Thermal hazards
General hygiene
considerations

Wear appropriate thermal protective clothing, when necessary.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating,

smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical stateLiquid.FormLiquid.ColorClear.OdorSlight.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 392.0 °F (200.0 °C) Setaflash Seta Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

EasyCast Resin SDS US

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure

Vapor density > 1 @ 21C (70F) (Air=1)

Relative density Not available.

Solubility(ies)

Solubility (water) Slightly soluble (0.1-1%).

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Decomposition temperature

Not available. Not available.

Viscosity

Not available.

Other information

Bulk density 9.6 lb/gal 0 % VOC

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid high temperatures. Contact with incompatible materials. Heating this resin above 300°F in

the presence of air may cause slow oxidative decomposition.

Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Incompatible materials

Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Inhalation of vapors or mists of the product may be irritating to the respiratory system. Inhalation

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eve irritation.

May cause discomfort if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Dermatitis, Rash.

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Phenyl Ether Alcohol Compound (CAS Proprietary)

Acute

Inhalation

LC50 Rat 6.09 mg/kg, 4 hours

Oral LD50

Mist

Rat 4000 mg/kg

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

EasyCast Resin SDS US 904011 Version #: 03 Revision date: 22-July-2019 Issue date: 21-July-2014

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazardDue to the high viscosity the product is not an aspiration hazard.

12. Ecological information

Ecotoxicity Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Persistence and degradability
No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil No data available.

Other adverse effects None known.

13. Disposal considerations

Disposal instructions Dispose of in accordance with federal, provincial and local regulations. Do not discharge into

drains, water courses or onto the ground.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packagingDispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

EasyCast Resin SDS US

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Skin corrosion or irritation

Yes

categoriesSerious eye damage or eye irritation
Respiratory or skin sensitization

Carra call residence ricits

Germ cell mutagenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

California Proposition 65



WARNING: This product can expose you to chemicals including Oxirane, 2-(-(phenoxymethyl)-, which is

known to the State of California to cause cancer, and Epoxy Resins, which is known to the State of

California to cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) Listed: October 1, 1990

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) Listed: May 11, 2015

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

EasyCast Resin SDS US

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 21-July-2014
Revision date 22-July-2019

Version # 03

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 0

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer Environmental Technology, Inc. cannot anticipate all conditions under which this information and

its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

EasyCast Resin SDS US

904011 Version #: 03 Revision date: 22-July-2019 Issue date: 21-July-2014