OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 1 of 12

1. Product and Company Identification

1.1. Product identifier

Trade name : ACRYLITE® - Sheets/Rods/Tubes

CAS-No. : -

1.2. Recommended use of the chemical and restrictions on use

Recommended use(s): building glazing. light advertising. furniture. trade-fair booth design. displays. decoration. Industrial use

Non-recommended use(s): None known.

1.3. Details of the supplier of the safety data sheet

Evonik CYRO LLC 299Jefferson Road Parsippany, NJ 07054-0677 USA

973-929-8000 973-929-8040 (fax)

1-973-929-8060 (Product Information Number)
1-800-424-9300 (24 Hour Emergency Number, CHEMTREC)

2. Hazards identification

2.1. Classification of the substance or mixture

This article is not classified according to GHS

Classification according to Regulation 29CFR 1910.1200

This product is not considered to be a hazardous substance or mixture when classified in accordance with Regulation 29 CFR 1910.1200 (US GHS).

2.2. Label elements

This article is not classified according to GHS

2.3. Other hazards

None known

3. Composition/information on ingredients

3.1. Substances

Hazardous Ingredients

Component	CAS-No.	Content	Hazard class / Hazard category / Hazard
			statement
acrylic copolymer	trade secret	100.0 %	

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 2 of 12

3.2. Mixtures

4. First-aid measures

4.1. Description of first aid measures

General advice No special measures are required.

Inhalation No specific treatment is necessary since this material is not likely to be

hazardous by inhalation.

Skin contact No specific treatment is necessary since this material is not likely to be

hazardous.

Eye contact If mechanical irritation occurs flush eyes thoroughly with a large amount of

water, consult a physician if irritation persists. (possible during machining

processes)

Ingestion Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

None known

4.3. Indication of any immediate medical attention and special treatment needed

no

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media water spray, foam, dry chemical, carbon dioxide

Unsuitable extinguishing media High volume water jet

5.2. Specific hazards arising from the chemical

In case of fire partly flammable, partly harmful vapours, which are irritating to the eyes and respiratory system, may be formed on thermal decomposition.

5.3. Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use water spray to cool containers exposed to fire.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective gloves and eye protectors.

6.2. Environmental precautions

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 3 of 12

Should not be released into the environment., Collect and dispose of unused residues.

6.3. Methods and materials for containment and cleaning up

Collect material and place in a disposal container. Obey relevant local, state, provincial and federal laws and regulations.

6.4. Reference to other sections

For personal protection see section 8.

7. Handling and storage

7.1. Precautions for safe handling

Safe handling advice Avoid dust formation. During thermal processing and/or machining local

exhaust ventilation at processing machines is necessary.

Advice on protection against fire Take precautionary measures against static discharges. In the event of fire, cool the endangered product with water.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas Storage: dry.

and containers

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limit Information

ACRYLIC COPOLYMER trade secret

Occupational Exposure Values	Remark(s):
ACGIH TLV-TWA	not established
ACGIH TLV-STEL	not established
OSHA PEL-TWA	not established
OSHA PEL-STEL	not established
NIOSH REL-TWA	not established
NIOSH REL-STEL	not established

8.2. Exposure controls

Engineering controls

If use operations generate dust, use adequate ventilation.

8.3. Personal protective equipment

Protective measures To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the

OSHA PPE Standard (29CFR1910.132) be conducted before using this

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



Page 4 of 12

ACRYLITE® - Sheets/Rods/Tubes

product.

Hygiene measures Follow the usual good standards of occupational hygiene. Clean skin

thoroughly after work; apply skin cream.

Respiratory protection A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant a respirator's use., If used in accordance with the regulations: No particular protective equipment required, dust mask may be required for machining

operations

Hand protection protective gloves against mechanical risks according to EN 388

General information For each work-place a suitable glove type has to be selected.

Eye protection goggles for machining operations

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour various, depending on coloration

Form sheets Odourless

Odour Threshold no data available

physical state solid

Melting point/freezing point Softening Temperature

approx. 100 °C approx. 210 °F

Boiling point/range not applicable

Flash point > 250 °C (ASTM D 1929-68)

> 480 °F (ASTM D 1929-68)

Evaporation rate not applicable

Ignition temperature no data available

Autoignition temperature > 400 °C

> 750 °F

Decomposition temperature This material is considered stable under specified conditions of storage, shipment

and/or use.

Depolymerization begins at 250 °C / 482 °F.

Impact Sensitivity no data available

ROE-US-GHS V_00 System: R11/011 US 21.01.2019 21:39 VA-Nr

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes Page 5 of 12

Lower explosion limit not applicable

Upper explosion limit not applicable

Flammability (solid, gas) no data available

Vapour pressure not applicable

Density approx. 1.20 g/cm3 at 20 °C / 68 °F

Relative density no data available

Bulk density no data available

Relative vapour density (related

to air)

not applicable

Solubility in water insoluble

Solubility (quantitative) no data available

Solubility (qualitative) in e.g. esters, ketones and chlorinated hydrocarbons: readily soluble

pH not applicable

n-Octanol/water partition

coefficient

not applicable

Viscosity (dynamic) not applicable

Viscosity (kinematic) not applicable

9.2. Other information

none

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 6 of 12

10. Stability and reactivity

10.1. Reactivity

see section 10.2.

10.2. Chemical stability

This material is considered stable under specified conditions of storage, shipment and/or use. Depolymerization begins at 250 °C / 482 °F.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

High temperature.

10.5. Incompatible materials

None reasonably foreseeable.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

11. Toxicological information

11.1. Information on toxicological effects

toxicokinetics, metabolism and distribution

The substance is practically not bioavailable (structure-activity-relationships) (analogy)

Acute Oral Toxicity

no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)

Caustic burning / irritation of skin

no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)

Serious eye damage/eye irritation

no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)

Respiratory/skin sensitization

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 7 of 12

no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)

Aspiration hazard no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Mutagenicity assessment no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Carcinogenicity no specific test data available

no evidence for hazardous properties

(structure-activity-relationships)

(analogy)

Reprotoxicity / teratogenicity no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

CMR assessment CMR: no

no specific test data available (structure-activity-relationships)

(analogy)

Specific Target Organ Toxicity -

Single exposure

no specific test data available

no evidence for hazardous properties

(structure-activity-relationships)

(analogy)

Specific Target Organ Toxicity -

Repeated exposure

no specific test data available

no evidence for hazardous properties

(structure-activity-relationships)

(analogy)

General information The product has not yet been tested. The indicated data are derived from

products with similar composition.

Considering the experience with similar products, no harmful effects are to

be expected.

Avoid inhalation, ingestion and contact with skin and eyes.

The fine particles contained in the product may cause mechanical

irritations of the skin, eyes and mucous membranes.

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 8 of 12

12. Ecological information

12.1. Toxicity

Hazardous to the aquatic

environment

no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)

12.2. Persistence and degradability

Persistence and degradability no specific test data available

no evidence for hazardous properties

(structure-activity-relationships)

(analogy)

Biodegradability no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

12.3. Bioaccumulative potential

Bioaccumulation no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

12.4. Mobility in soil

Mobility no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment PBT: no

vPvB: no

12.6. Other adverse effects

General Information No ecotoxicological data is available for this product. On the basis of the

products consistency as well as its low water solubility a bioavailability is unlikely. Studies on products with similar composition confirm this assumption. Prevent substance from entering soil, natural bodies of water

and sewer systems.

ROE-US-GHS V_00 System: R11.011 US 21.01.2019 21:39 VA-Nr

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 9 of 12

13. Disposal considerations

13.1. Waste treatment methods

Product Waste must be disposed of in accordance with federal, state and local

regulations. Incineration is the preferred method. CYRO encourages the recycle, recovery and reuse of materials, where permitted, as an alternate

to disposal as a waste.

Uncleaned packaging Uncontaminated packaging may be taken for recycling.

14. Transport information

Not dangerous according to transport regulations.

14.1. UN number: --14.2. UN proper shipping name: ---

14.3. Transport hazard class(es): ---14.4. Packing group: ---

14.5. Environmental hazards: --

14.6. Special precautions for user: No

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

INVENTORY INFORMATION

REACH (EU) preregistered, registered or exempted

TSCA (USA) listed or exempted DSL (CDN) listed or exempted listed or exempted AICS (AUS) METI (J) listed or exempted ECL (KOR) listed or exempted PICCS (RP) listed or exempted IECSC (CN) listed or exempted HSNO (NZ) listed or exempted ECS (Taiwan) listed or exempted

US FEDERAL REGULATORY INFORMATION

CERCLARQ SARA 302 SARA 313

Component / CASRN TPQ [lbs] List of (40CFR372) TSCA [lbs] (40CFR302.4) EHS 12b

NONE

COMPONENT CLASSIFICATION UNDER CLEAN AIR ACT SECTION 112

Component / CASRN Weight % HAP EHAP

NONE

PRODUCT CLASSIFICATION UNDER SECTION 311/312 OF SARA (40CFR370)

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 10 of 12

NONE

US STATE REGULATORY INFORMATION

Component / CASRN	New Jersey RTK	Pennsylvan ia RTK	Massachus etts RTK	California Proposition 65 Cancer	California Proposition 65 Reproducti ve
acrylic polymer / secret	NO	NO	NO	NO	NO

CANADIAN REGULATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the MSDS contains all information required by the Controlled Products Regulations.

This is a non-controlled product.

WHMIS:NO

Component / CASRN NPRI
NONE

16. Other information

	Health	Flammability	Physical Hazard	
HMIS-Ratings	0	1	0	
NFPA-Ratings	0	1	0	
	HMIS Hazard Ratings	NFPA H	lazard Ratings	
4 = severe 3 = serious 2 = moderate 1 = slight 0 = minimal N = no rating for powders * = chronic health hazard		4 = extreme 3 = high 2 = moderate 1 = slight 0 = insignificant N = no rating for powders		

Other information none

References relevant manuals and publications

own examinations

own toxicological and ecotoxicological studies

toxicological and ecotoxicological studies of other manufacturers

SIAR

OECD-SIDS RTK public files

Revision Date 09/12/2018

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 11 of 12

Places marked by | have been amended from the last version.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Date of printing: 01/21/2019

Legend

ACC American Chemistry Council

ACGIH American Conference of Governmental Industrial Hygenists

ACS Advisory Committee on Sustainability

ADI Acceptable Daily Intake

ASTM American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor
BOD Biochemical oxygen demand

c.c. closed cup

CAO Cargo Aircraft Only

Carcinogen

CAS Chemical Abstract Services

CDN Canada

CEPA Canadian Environmental Protection Act

CERCLA Comprehensive Environmental Response - Compensation and Liability Act

CFR Code of Federal Regulations

CMR carcinogenic-mutagenic-toxic for reproduction

COD Chemical oxygen demand

DIN German Institute for Standardization
DM EL Derived minimum effect level
DNEL Derived no effect level

DOT Department of Transportation
EC50 half maximal effective concentration
EPA Environmental Protection Agency
ErC50 Reduction of Growth Rate

ERG Emergency Response Guide Book
FDA Food and Drug Administration

GHS Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

GLP Good Laboratory Practice
GMO Genetic Modified Organism
HCS Hazard Communication Standard

HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
IATA International Air Transport Association

IBC Intermediate Bulk Container

ICAO-TI International Civil Aviation Organization- Technical Instructions

ICCA International Council of Chemical Association

ID Identification number

IMDG International Maritime Dangerous Goods

IUPAC International Union of Pure and Applied Chemistry
ISO International Organization For Standardization

LC50 50 % Lethal Concentration

LD50 50 % Lethal Dose **L(E)C50** LC50 or EC50

LOAEL Low est observed adverse effect level

LOEL Low est observed effect level

MARPOL International Convention for the Prevention of Pollution from Ships

NFPA National Fire Protection Association
NOAEL No observed adverse effect level
NOEC no observed effect concentration
NOEL no observed effect level

NOEL no observ

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit

OSHA 1910.1200

Revision Date: 09/12/2018 Print Date: 01/21/2019

Version: 4.0



ACRYLITE® - Sheets/Rods/Tubes

Page 12 of 12

OSHA Occupational Safety and Health Administration

PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

RQ Reportable Quantity SDS Safety Data Sheet

STOT Specific Target Organ Toxicity

UN United Nations

vPvB very persistent, very bioaccumulative

voc volatile organic compounds

WHMIS Workplace Hazardous Materials Information System

WHO World Health Organization