SAFETY DATA SHEET

1. Identification

Product identifier EX-74 Hardener

Other means of identification

SDS number 23500H

12025, 23500, 23500C, 23510, 23510C, 23580. **Product code**

Recommended use **High Gloss Coating** None known. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Environmental Technology, Inc. Company name

Address 300 S. Bay Depot Road

Fields Landing

CA 95537

Telephone Telephone number 707-443-9323

E-mail mail@eti-usa.com **Technical Director Contact person**

CHEMTREC 800-424-9300 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Acute toxicity, dermal Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Reproductive toxicity (fertility, the unborn Category 2

child)

OSHA defined hazards Not classified.

Label elements



Signal word

Hazard statement Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the

unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves/protective clothing/eye protection.

Response If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label).

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known

Supplemental information

37% of the mixture consists of component(s) of unknown acute oral toxicity. None known.

EX-74 Hardener SDS US

919430 Version #: 01 Issue date: March 22, 2016

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Cycloaiphatic Amine	Proprietary	10-50
Nonyl phenol	Proprietary	10-50
Polyether Amines	Proprietary	10-50

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical

attention immediately.

Skin contact Wash contaminated clothing before reuse. Rinse skin thoroughly with lukewarm water for at least

15 minutes. Call a physician or poison control center immediately.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids

occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

or poison control center immediately.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Call a physician or Poison Control Center immediately.

Most important

symptoms/effects, acute and delayed

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighter Fire-fighting

equipment/instructions

Move container from fire area if it can be done without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

skin.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe mist or vapor. Avoid contact with skin and eyes. Keep unnecessary personnel away. Keep out of low areas. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Collect and dispose of spillage as indicated in section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

EX-74 Hardener SDS US

919430 Version #: 01 Issue date: March 22, 2016

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Do not breathe mist or

vapor. Do not get this material in your eyes, on your skin, or on your clothing. Avoid contact during pregnancy/while nursing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Keep out of reach of

children.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the

SDS

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in

consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.

Form Liquid. Pourable liquid.
Color Clear. Slight yellow.
Odor Slight ammonia odor.

Odor threshold Not available.

pH Not available

Melting point/freezing point Not available.

Initial boiling point and boiling 222 °F (105.56 °C)

range

Flash point

212.0 °F (100.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

our pressure < 1 mm Hg at 68 F

Vapor pressure< 1 mm Hg at 6</th>Vapor densityNot availableRelative density0.972 g/cm3

EX-74 Hardener SDS US

919430 Version #: 01 Issue date: March 22, 2016

Solubility(ies)

Slightly soluble (0.1-1%) Solubility (water)

Partition coefficient Not available.

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature**

1400 cP (77 °F (25 °C)) Viscosity

Other information

Density 8.00 lbs/gal VOC (Weight %) 0 g/l

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Stable under normal temperature conditions and recommended use. **Chemical stability**

Acids. Strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid incompatible materials and intense heat.

> When product is mixed with Part A and left in a large mass a vigorous exothermic reaction may occur, and may result in charring of the reactants. Read and follow all instructions. Do not add

nitrites, may form suspected cancer causing nitrosamines.

Incompatible materials

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material does not pose a risk to health. Harmful if Ingestion

swallowed. Causes digestive tract burns.

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

When heated, the vapors/fumes given off may cause respiratory tract irritation.

Skin contact Causes severe skin burns. May cause an allergic skin reaction. Harmful in contact with skin.

Causes serious eye damage. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering

of skin.

Information on toxicological effects

Harmful if swallowed. May be harmful if absorbed through skin. Acute toxicity

Skin corrosion/irritation Causes skin burns.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

Possible reproductive hazard. Possible risk of harm to the unborn child. Possible risk of impaired Reproductive toxicity

fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects. Possible adverse reproductive and developmental

effects.

12. Ecological information

Ecotoxicity Expected to be very toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

EX-74 Hardener SDS US

919430 Version #: 01 Issue date: March 22, 2016 Components Species Test Results

Cycloaiphatic Amine (CAS Proprietary)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 14.6 - 21.5 mg/l, 48 hours

Nonyl phenol (CAS Proprietary)

Aquatic

Crustacea EC50 Clam (Mulinia lateralis) 0.0379 mg/l, 48 hours
Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soilNo data available.Other adverse effectsNone known.

13. Disposal considerations

Disposal instructionsDispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Do not allow this material to drain into sewers/water supplies.

Contaminated packaging Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s.

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III

Special precautions for user Not available.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s.

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Packaging exceptions 2.7.2.1
Environmental hazards Yes

Special precautions for user Not available.

IMDG

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s.

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III

Special Provisions 223, 274
Packaging exceptions 3.4.1

Environmental hazards

Marine pollutant Yes
EmS No: F-A, S-B.
Special precautions for user Not available.

EX-74 Hardener SDS US

^{*} Estimates for product may be based on additional component data not shown.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Cycloaiphatic Amine (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes

EX-74 Hardener SDS US

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-April-2016

Revision date - Version # 01

NFPA Ratings



References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

DisclaimerThe information in the sheet was written based on the best knowledge and experience currently

available.

EX-74 Hardener SDS US

Yes

Yes