SAFETY DATA SHEET

1. Identification

Product identifier EasyMold Silicone Putty Part A

Other means of identification

SDS number 7211800

33700, 33700M, 33710, MICHAELS SKU: 184918 **Product code** Recommended use Food grade Silicone for mold making None known.

Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

> Fields Landing CA 95537

Telephone Telephone number

E-mail mail@eti-usa.com

Technical Director Contact person

CHEMTREC 800-424-9300 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified. No hazards resulting from the material as supplied.

Label elements

Hazard symbol None. Signal word None.

Hazard statement The mixture does not meet the criteria for classification. Under supplemented information, this

product has been assessed and found not hazardous. Although there are differences - if not

707-443-9323

hazardous under CPSC, it is also not hazardous under OSHA.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/information on ingredients

Mixtures

Silica non-respirable embedded in Silicone Rubber Matrix.

4. First-aid measures

Inhalation Move to fresh air. Get medical attention if any discomfort continues.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Flush eyes with copious amounts of water. Get medical attention if irritation develops and persists. Eye contact

Ingestion If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give

anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if

any discomfort occurs. Rinse mouth.

May cause gastrointestinal disturbances.

Most important

symptoms/effects, acute and

delayed

EasyMold Silicone Putty Part A

904001 Version #: 01 Revision date: -Issue date: 17-April-2016 1/6

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

General information

media

Foam. Dry chemical powder. Carbon dioxide (CO2). Water fog.

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move container from fire area if it can be done without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of vapors/dust and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. The product is immiscible with water and will sediment in water systems.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Never return spills to original containers for re-use. Collect and dispose of spillage as indicated in

section 13 of the SDS.

Environmental precautions

Avoid release to the environment.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Mineral Oil (CAS	PEL	5 mg/m3	Mist.	
Proprietary)				

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Mica (CAS Proprietary)	TWA	20 mppcf	
Silica (14808-60-7	TWA	0.8 mg/m3	
		20 mppcf	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Mica (CAS Proprietary)	TWA	3 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Mica (CAS Proprietary)	TWA	3 mg/m3	Respirable.
Mineral Oil (CAS Proprietary)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

EasyMold Silicone Putty Part A SDS US

Form Components Type Value

TWA Silica (14808-60-7) 6 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values**

The ingredients in this product are encapsulated within the polymer matrix, therefore no exposure **Exposure guidelines**

to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for information purpose only. Use personal protective equipment as required.

Keep working clothes separately.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

Physical state

Wear suitable gloves as a good hygiene practice. Hand protection

Other It is a good industrial hygiene practice to minimize skin contact.

Respiratory protection No specific recommendations.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such considerations as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance White Paste.

Form Paste. Color White. Odor Odorless. Odor threshold Not available. Not applicable. нα Not available. Melting point/freezing point

Initial boiling point and boiling

Not available.

Liquid.

range Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density

Relative density Solubility(ies)

Solubility (water) Virtually insoluble. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Please read and follow all technical instructions provided by manufacturer.

Chemical stability Stable under normal temperature conditions and recommended use.

EasyMold Silicone Putty Part A SDS US Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoidAvoid incompatible materials and intense heat.

/// maintaine to uvoid

Incompatible materials Strong oxidizing agents. Chlorine. Avoid using items that contain sulfur such as masking tape,

clays and latex gloves or soap which contains stearates.

Hazardous decomposition

products

Carbon oxides. Exposure to air over extended period of time at 150°C or greater can cause the

formation of formaldehyde which is a known carcinogen.

11. Toxicological information

Information on likely routes of exposure

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Prolonged skin contact may cause dermatitis.

Eye contact This product may cause slight irritation to the eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Exposed individuals may experience eye tearing, redness, and discomfort. May cause

gastrointestinal disturbances.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Silica (CAS Proprietary)

Acute

Oral

LD50 Rat

3160 mg/kg

Skin corrosion/irritationNot expected to be a primary skin irritant.

Serious eye damage/eye

irritation

This product may cause slight irritation to the eyes.

Respiratory or skin sensitization

Respiratory sensitization Knowledge about sensitization hazard is incomplete. **Skin sensitization** Knowledge about sensitization hazard is incomplete.

Germ cell mutagenicityNo component of this product present at levels greater than or equal to 0.1% is identified as a

mutagen by OSHA.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silica (14808-60-7) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

No data available.

Specific target organ toxicity -

single exposure

siligie exposule

A1 1 (21 1 1

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard Knowledge about health hazard is incomplete.

Chronic effectsBased on available data, the classification criteria are not met.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

EcotoxicityThe product is not expected to be hazardous to the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available on bioaccumulation.

Mobility in soilNo data available.Other adverse effectsNone known.

13. Disposal considerations

Disposal instructions Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

EasyMold Silicone Putty Part A

904001 Version #: 01 Revision date: - Issue date: 17-April-2016

4 / 6

^{*} Estimates for product may be based on additional component data not shown.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Do not allow this material to drain into

sewers/water supplies.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Mineral Oil (CAS Proprietary)

Silica (14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Mineral Oil (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Mineral Oil (CAS Proprietary)

Silica (14808-60-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens:

14808-60-7 Quartz (silica)

Important: California Proposition 65 chemical list includes Quartz (Silica) in "airborne or unbound" particles of respirable size. Although Quartz (Silica) is used within this product, it is "inextricably bound" within the matrix and therefore cannot become airborne or ingested.

US - California Proposition 65 - Reproductive Toxins:

This material does not contain any chemicals known to the State of California to cause reproductive effects.

EasyMold Silicone Putty Part A

SDS US

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-April-2016

Revision date Version # 01

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

NFPA Ratings



References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

SDS US EasyMold Silicone Putty Part A

No

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).