

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 1 of 12

## 1. Product and Company Identification

### 1.1. Product identifier

Trade name : ACRYLITE® - Sheets/Rods/Tubes

### 1.2. Recommended use of the chemical and restrictions on use

Recommended use(s): building glazing. light advertising. furniture. trade-fair booth design. displays. decoration. Industrial use

Non-recommended use(s): None known.

### 1.3. Details of the supplier of the safety data sheet

Evonik CYRO LLC  
299 Jefferson Road  
Parsippany, NJ 07054-0677  
USA

973-929-8000  
973-929-8040 (fax)

1-973-929-8060 (Product Information Number)  
1-800-424-9300 (24 Hour Emergency Number, CHEMTREC)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

This article is not classified according to GHS

#### Classification according to Regulation 29CFR 1910.1200

This product is not considered to be a hazardous substance or mixture when classified in accordance with Regulation 29 CFR 1910.1200 (US GHS).

### 2.2. Label elements

This article is not classified according to GHS

### 2.3. Other hazards

None known

## 3. Composition/information on ingredients

### 3.1. Substances

---

### 3.2. Mixtures

#### Hazardous Ingredients

Component	CAS-No.	Content	Hazard class / Hazard category / Hazard statement
-----------	---------	---------	---

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 2 of 12

acrylic copolymer	trade secret	100.0%	not classified
-------------------	--------------	--------	----------------

## 4. First-aid measures

### 4.1. Description of first aid measures

General advice	No special measures are required.
Inhalation	No specific treatment is necessary since this material is not likely to be hazardous by inhalation.
Skin contact	No specific treatment is necessary since this material is not likely to be hazardous.
Eye contact	If mechanical irritation occurs flush eyes thoroughly with a large amount of water, consult a physician if irritation persists. (possible during machining processes)
Ingestion	Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

None known

### 4.3. Indication of any immediate medical attention and special treatment needed

no

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	water spray, foam, dry chemical, carbon dioxide
Unsuitable extinguishing media	full water jet

### 5.2. Specific hazards arising from the chemical

In case of fire partly flammable, partly harmful vapours, which are irritating to the eyes and respiratory system, may be formed on thermal decomposition.

### 5.3. Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use water spray to cool containers exposed to fire.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective gloves and eye protectors.

### 6.2. Environmental precautions

Should not be released into the environment., Collect and dispose of unused residues.

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



## 6.3. Methods and materials for containment and cleaning up

Collect material and place in a disposal container. Obey relevant local, state, provincial and federal laws and regulations.

## 6.4. Reference to other sections

For personal protection see section 8.

---

## 7. Handling and storage

### 7.1. Precautions for safe handling

Safe handling advice                      Avoid dust formation. During thermoplastic processing, vapours of the decomposition products referred to in section 10 are given off, which are technically unavoidable (Observe exposure threshold limit values). During thermal processing and/or machining local exhaust ventilation at processing machines is necessary.

Advice on protection against fire and explosion                      Take precautionary measures against static discharges. In the event of fire, cool the endangered product with water.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers                      Storage: dry.

---

## 8. Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limit Information

**ACRYLIC COPOLYMER** trade secret

Occupational Exposure Values	Remark(s):
ACGIH TLV-TWA	not established
ACGIH TLV-STEL	not established
OSHA PEL-TWA	not established
OSHA PEL-STEL	not established
NIOSH REL-TWA	not established
NIOSH REL-STEL	not established

### 8.2. Exposure controls

#### Engineering controls

If use operations generate dust, use adequate ventilation.

### 8.3. Personal protective equipment

Protective measures                      To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 4 of 12

	OSHA PPE Standard (29CFR1910.132) be conducted before using this product.
Hygiene measures	Follow the usual good standards of occupational hygiene.
Respiratory protection	A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hand protection	protective gloves against mechanical risks according to EN 388
General information	For each work-place a suitable glove type has to be selected.
Eye protection	goggles for machining operations

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Colour	transparent
Form	sheets
Odor	odourless
Odour Threshold	no data available
physical state	solid
Melting point/freezing point	Softening Temperature ca. 100 °C ca. 210 °F
Boiling point/range	not applicable
Flash point	> 250 °C (ASTM D 1929-68) > 480 °F (ASTM D 1929-68)
Evaporation rate	not applicable
Ignition temperature	no data available
Autoignition temperature	> 400 °C > 750 °F
Decomposition temperature	This material is considered stable under specified conditions of storage, shipment and/or use.  Depolymerization begins at 250 °C / 482 °F.
Impact Sensitivity	no data available

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 5 of 12

Lower explosion limit	not applicable
Upper explosion limit	not applicable
Flammability (solid, gas)	no data available
Vapour pressure	not applicable
Density	ca. 1.20 g/cm <sup>3</sup> at 20 °C / 68 °F
Relative density	no data available
Bulk density	no data available
Relative vapour density (related to air)	not applicable
Solubility in water	insoluble
Solubility (quantitative)	no data available
Solubility (qualitative)	in e.g. esters, ketones and chlorinated hydrocarbons: readily soluble
pH	not applicable
n-Octanol/water partition coefficient	not applicable
Viscosity (dynamic)	not applicable
Viscosity (kinematic)	not applicable

## 9.2. Other information

none

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 6 of 12

## 10. Stability and reactivity

### 10.1. Reactivity

see section 10.2.

### 10.2. Chemical stability

This material is considered stable under specified conditions of storage, shipment and/or use. Depolymerization begins at 250 °C / 482 °F.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

High temperature.

### 10.5. Incompatible materials

None reasonably foreseeable.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## 11. Toxicological information

### 11.1. Information on toxicological effects

toxicokinetics, metabolism and distribution

The substance is practically not bioavailable (structure-activity-relationships) (analogy)

Acute Oral Toxicity

no specific test data available  
no evidence for hazardous properties (structure-activity-relationships) (analogy)

Caustic burning / irritation of skin

no specific test data available  
no evidence for hazardous properties (structure-activity-relationships) (analogy)

Serious eye damage/eye irritation

no specific test data available  
no evidence for hazardous properties (structure-activity-relationships) (analogy)

Respiratory/skin sensitization

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 7 of 12

	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
Aspiration hazard	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
Mutagenicity assessment	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
Carcinogenicity	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
Reprotoxicity / teratogenicity	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
CMR assessment	CMR: no no specific test data available (structure-activity-relationships) (analogy)
Specific Target Organ Toxicity - Single exposure	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
Specific Target Organ Toxicity - Repeated exposure	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
General information	The product has not been tested toxicologically. When handled and used as directed the product will not cause hazardous effects to health according to studies on similar products and practical experience. The fine particles contained in the product may cause mechanical irritations of the skin, eyes and mucous membranes. Avoid skin and eye contact and inhalation of product dust/aerosols.

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 8 of 12

## 12. Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
--------------------------------------	--

### 12.2. Persistence and degradability

Persistence and degradability	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
-------------------------------	--

### 12.3. Bioaccumulative potential

Bioaccumulation	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
-----------------	--

### 12.4. Mobility in soil

Mobility	no specific test data available no evidence for hazardous properties (structure-activity-relationships) (analogy)
----------	--

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment	PBT: no vPvB: no
-------------------------	---------------------

### 12.6. Other adverse effects

General Information	The product has not been tested ecotoxicologically. On the basis of the products consistency as well as its low water solubility a bioavailability is unlikely. Studies on products with similar composition confirm this assumption. Prevent substance from entering soil, natural bodies of water and sewer systems.
---------------------	--

## 13. Disposal considerations

### 13.1. Waste treatment methods

Product	Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method. CYRO encourages the recycle, recovery and reuse of materials, where permitted, as an alternate to disposal as a waste.
Uncleaned packaging	Uncontaminated packaging may be taken for recycling.



# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



ACRYLITE® - Sheets/Rods/Tubes

Page 9 of 12

## 14. Transport information

### US DOT Hazard Classification

Not subject to the regulations on dangerous goods.

### Canadian TDG Classification

Not subject to the regulations on dangerous goods.

### Shipment by sea IMDG/GGVSee

Not dangerous according to transport regulations.

### Air transport ICAO/IATA

Not dangerous according to transport regulations.

## 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### INVENTORY INFORMATION

REACH (EU)	preregistered, registered or exempted
TSCA (USA)	listed or exempted
DSL (CDN)	listed or exempted
AICS (AUS)	listed or exempted
METI (J)	listed or exempted
ECL (KOR)	listed or exempted
PICCS (RP)	listed or exempted
IECSC (CN)	listed or exempted
HSNO (NZ)	listed or exempted
ECS (Taiwan)	listed or exempted

#### US FEDERAL REGULATORY INFORMATION

Component / CASRN	TPQ [lbs]	CERCLA RQ [lbs] (40CFR302.4)	SARA 302 List of EHS	SARA 313 (40CFR372)	TSCA 12b
NONE					

#### COMPONENT CLASSIFICATION UNDER CLEAN AIR ACT SECTION 112

Component / CASRN	Weight %	HAP	EHAP
NONE			

#### PRODUCT CLASSIFICATION UNDER SECTION 311/312 OF SARA (40CFR370)

NONE

#### US STATE REGULATORY INFORMATION

Component / CASRN	New Jersey RTK	Pennsylvan ia RTK	Massachus etts RTK	California Proposition 65 Cancer	California Proposition 65 Reproducti ve

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



acrylic polymer /  
secret NO NO NO NO NO

This product contains (a) chemical(s) known to the State of California to cause cancer.

## CANADIAN REGULATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the MSDS contains all information required by the Controlled Products Regulations.

This is a non-controlled product.

**WHMIS:**NO

Component / CASRN	NPRI
NONE	

## 16. Other information

	Health	Flammability	Physical Hazard
HMIS-Ratings	0	1	0
NFPA-Ratings	0	1	0

### HMIS Hazard Ratings

4 = severe  
3 = serious  
2 = moderate  
1 = slight  
0 = minimal  
N = no rating for powders  
\* = chronic health hazard

### NFPA Hazard Ratings

4 = extreme  
3 = high  
2 = moderate  
1 = slight  
0 = insignificant  
N = no rating for powders

Other information none

References relevant manuals and publications  
own examinations  
own toxicological and ecotoxicological studies  
toxicological and ecotoxicological studies of other manufacturers  
SIAR  
OECD-SIDS  
RTK public files

Revision Date 06/23/2015

# Safety Data Sheet

OSHA 1910.1200

Revision Date: 06/23/2015

Print Date: 01/10/2017

Version: 2.3



**ACRYLITE® - Sheets/Rods/Tubes**

Page 11 of 12

Places marked by || have been amended from the last version.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Date of printing : 01/10/2017

# Safety Data Sheet

OSHA 1910.1200  
Revision Date: 06/23/2015  
Print Date: 01/10/2017  
Version: 2.3



## Legend

<b>ACC</b>	American Chemistry Council
<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ACS</b>	Advisory Committee on Sustainability
<b>ADI</b>	Acceptable Daily Intake
<b>ASTM</b>	American Society for Testing and Materials
<b>ATP</b>	Adaptation to Technical Progress
<b>BCF</b>	Bioconcentration factor
<b>BOD</b>	Biochemical oxygen demand
<b>c.c.</b>	closed cup
<b>CAO</b>	Cargo Aircraft Only
<b>Carc</b>	Carcinogen
<b>CAS</b>	Chemical Abstract Services
<b>CDN</b>	Canada
<b>CEPA</b>	Canadian Environmental Protection Act
<b>CERCLA</b>	Comprehensive Environmental Response – Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>CMR</b>	carcinogenic-mutagenic-toxic for reproduction
<b>COD</b>	Chemical oxygen demand
<b>DIN</b>	German Institute for Standardization
<b>DMEL</b>	Derived minimum effect level
<b>DNEL</b>	Derived no effect level
<b>DOT</b>	Department of Transportation
<b>EC50</b>	half maximal effective concentration
<b>EPA</b>	Environmental Protection Agency
<b>ErC50</b>	Reduction of Growth Rate
<b>ERG</b>	Emergency Response Guide Book
<b>FDA</b>	Food and Drug Administration
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
<b>GLP</b>	Good Laboratory Practice
<b>GMO</b>	Genetic Modified Organism
<b>HCS</b>	Hazard Communication Standard
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>IATA</b>	International Air Transport Association
<b>IBC</b>	Intermediate Bulk Container
<b>ICAO-TI</b>	International Civil Aviation Organization- Technical Instructions
<b>ICCA</b>	International Council of Chemical Association
<b>ID</b>	Identification number
<b>IMDG</b>	International Maritime Dangerous Goods
<b>IUPAC</b>	International Union of Pure and Applied Chemistry
<b>ISO</b>	International Organization For Standardization
<b>LC50</b>	50 % Lethal Concentration
<b>LD50</b>	50 % Lethal Dose
<b>L(E)C50</b>	LC50 or EC50
<b>LOAEL</b>	Low est observed adverse effect level
<b>LOEL</b>	Low est observed effect level
<b>MARPOL</b>	International Convention for the Prevention of Pollution from Ships
<b>NFPA</b>	National Fire Protection Association
<b>NOAEL</b>	No observed adverse effect level
<b>NOEC</b>	no observed effect concentration
<b>NOEL</b>	no observed effect level
<b>o. c.</b>	open cup
<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>OEL</b>	Occupational Exposure Limit
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PBT</b>	Persistent, bioaccumulative, toxic
<b>PEC</b>	Predicted effect concentration
<b>PNEC</b>	Predicted no effect concentration
<b>RQ</b>	Reportable Quantity
<b>SDS</b>	Safety Data Sheet
<b>STOT</b>	Specific Target Organ Toxicity
<b>UN</b>	United Nations
<b>vPvB</b>	very persistent, very bioaccumulative
<b>voc</b>	volatile organic compounds
<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>WHO</b>	World Health Organization