# SAFETY DATA SHEET

#### 1. Identification

Product identifier EasyMold Silicone Putty Part A

Other means of identification

**SDS number** 7211800

**Product code** 33700, 33700M, 33710, MICHAELS SKU: 184918 **Recommended use** Food grade Silicone for mold making None known.

**Recommended restrictions** 

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537

CA 95537

**Telephone** Telephone number 707-443-9323

E-mail mail@eti-usa.com
Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

No hazards resulting from the material as supplied.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification. Under supplemented information, this

product has been assessed and found not hazardous. Although there are differences - if not

hazardous under CPSC, it is also not hazardous under OSHA.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 

Not applicable.

# 3. Composition/information on ingredients

### **Mixtures**

Silica non-respirable embedded in Silicone Rubber Matrix.

### 4. First-aid measures

**Inhalation** Move to fresh air. Get medical attention if any discomfort continues.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact**Flush eyes with copious amounts of water. Get medical attention if irritation develops and persists.

Ingestion

If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Never give

anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if

any discomfort occurs. Rinse mouth.

Most important

symptoms/effects, acute and

delayed

May cause gastrointestinal disturbances.

EasyMold Silicone Putty Part A
904001 Version #: 01 Revision date: - Issue date: 17-April-2014

1/6

Indication of immediate medical attention and special

treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information** 

protect themselves.

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Dry chemical powder. Carbon dioxide (CO2). Water fog.

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

No unusual fire or explosion hazards noted. General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of vapors/dust and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. The product is immiscible with water and will sediment in

water systems.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place

into containers. Following product recovery, flush area with water.

Never return spills to original containers for re-use. Collect and dispose of spillage as indicated in

section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment.

# 7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials.

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Mineral Oil (CAS	PEL	5 mg/m3	Mist.	
Proprietary)				

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Mica (CAS Proprietary)	TWA	20 mppcf	
Silica (CAS Proprietary)	TWA	0.8 mg/m3	
		20 mppcf	

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Mica (CAS Proprietary)	TWA	3 mg/m3	Respirable fraction.

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form
Mica (CAS Proprietary)	TWA	3 mg/m3	Respirable.
Mineral Oil (CAS Proprietary)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

EasyMold Silicone Putty Part A SDS US

Form Components Type Value

Silica (CAS Proprietary) TWA 6 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

The ingredients in this product are encapsulated within the polymer matrix, therefore no exposure **Exposure guidelines** 

to these materials is expected during normal use/handling of this product. The exposure limits listed are provided for information purpose only. Use personal protective equipment as required.

Keep working clothes separately.

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

Physical state

Wear suitable gloves as a good hygiene practice. Hand protection

Other It is a good industrial hygiene practice to minimize skin contact.

Respiratory protection No specific recommendations.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such considerations as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** White Paste.

**Form** Paste. Color White. Odor Odorless. Odor threshold Not available. Not applicable. рΗ Not available. Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Liquid.

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

**Explosive limit - lower (%)** Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Virtually insoluble. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** 

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Please read and follow all technical instructions provided by manufacturer.

**Chemical stability** Stable under normal temperature conditions and recommended use.

EasyMold Silicone Putty Part A SDS US Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Avoid incompatible materials and intense heat.

Incompatible materials Strong oxidizing agents. Chlorine. Avoid using items that contain sulfur such as masking tape,

clays and latex gloves or soap which contains stearates.

Hazardous decomposition

products

Carbon oxides. Exposure to air over extended period of time at 150°C or greater can cause the

formation of formaldehyde which is a known carcinogen.

## 11. Toxicological information

## Information on likely routes of exposure

Ingestion May cause discomfort if swallowed. Expected to be a low ingestion hazard.

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Prolonged skin contact may cause dermatitis. Eye contact This product may cause slight irritation to the eyes.

Symptoms related to the physical, chemical and toxicological characteristics Exposed individuals may experience eye tearing, redness, and discomfort. May cause

gastrointestinal disturbances.

## Information on toxicological effects

**Acute toxicity** May cause discomfort if swallowed.

Components **Test Results Species** 

Silica (CAS Proprietary)

Acute

Oral

LD50 Rat 3160 mg/kg

Skin corrosion/irritation Not expected to be a primary skin irritant.

Serious eye damage/eye

irritation

This product may cause slight irritation to the eyes.

#### Respiratory or skin sensitization

Respiratory sensitization Knowledge about sensitization hazard is incomplete. Skin sensitization Knowledge about sensitization hazard is incomplete.

Germ cell mutagenicity No component of this product present at levels greater than or equal to 0.1% is identified as a

mutagen by OSHA.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Silica (CAS Proprietary) 3 Not classifiable as to carcinogenicity to humans.

No data available Reproductive toxicity Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Knowledge about health hazard is incomplete. **Aspiration hazard** 

**Chronic effects** Based on available data, the classification criteria are not met.

**Further information** No other specific acute or chronic health impact noted.

#### 12. Ecological information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

No data is available on the degradability of this product. Persistence and degradability

No data available on bioaccumulation. Bioaccumulative potential

Mobility in soil No data available. Other adverse effects None known.

# 13. Disposal considerations

**Disposal instructions** Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Not regulated. Hazardous waste code

EasyMold Silicone Putty Part A 904001 Version #: 01 Revision date: -Issue date: 17-April-2014

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Do not allow this material to drain into

sewers/water supplies.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** 

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous N

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Mineral Oil (CAS Proprietary) Silica (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

Mineral Oil (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Mineral Oil (CAS Proprietary) Silica (CAS Proprietary)

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

EasyMold Silicone Putty Part A SDS US

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

Issue date 17-April-2014

Revision date - 01

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

**NFPA Ratings** 



References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

EasyMold Silicone Putty Part A SDS US

No

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).