OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 1 of 12

#### 1. Product and Company Identification

#### 1.1. Product identifier

Trade name : ACRYLITE® - Resist - Sheets/Tubes

#### 1.2. Recommended use of the chemical and restrictions on use

Recommended use(s): building glazing. light advertising. furniture. trade-fair booth design. displays. decoration. Industrial use

Non-recommended use(s): None known.

#### 1.3. Details of the supplier of the safety data sheet

Evonik CYRO LLC 299Jefferson Road Parsippany, NJ 07054-0677 USA

973-929-8000 973-929-8040 (fax)

1-973-929-8060 (Product Information Number)
1-800-424-9300 (24 Hour Emergency Number, CHEMTREC)

#### 2. Hazards identification

#### 2.1. Classification of the substance or mixture

This article is not classified according to GHS

#### Classification according to Regulation 29CFR 1910.1200

This product is not considered to be a hazardous substance or mixture when classified in accordance with Regulation 29 CFR 1910.1200 (US GHS).

#### 2.2. Label elements

This article is not classified according to GHS

#### 2.3. Other hazards

None known

#### 3. Composition/information on ingredients

#### 3.1. Substances

---

#### 3.2. Mixtures

#### Hazardous Ingredients

Component	CAS-No.	Content	Hazard class / Hazard category / Hazard
			statement

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



#### ACRYLITE® - Resist - Sheets/Tubes

Page 2 of 12

acrylic copolymer	trade secret	100.0 %	not classified
actylic copolyttici	trade secret	100.0 70	not diagonica
	ŧ	i	i :
<b>I</b>	<u> </u>	<u> </u>	

#### 4. First-aid measures

#### 4.1. Description of first aid measures

General advice No special measures are required.

Inhalation No specific treatment is necessary since this material is not likely to be

hazardous by inhalation.

Skin contact No specific treatment is necessary since this material is not likely to be

hazardous.

Eye contact If mechanical irritation occurs flush eyes thoroughly with a large amount of

water, consult a physician if irritation persists. (possible during machining

processes)

Ingestion Ingestion is not considered a potential route of exposure.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known

#### 4.3. Indication of any immediate medical attention and special treatment needed

no

#### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media water spray, foam, dry chemical, carbon dioxide

Unsuitable extinguishing media full water jet

#### 5.2. Specific hazards arising from the chemical

In case of fire partly flammable, partly harmful vapours, which are irritating to the eyes and respiratory system, may be formed on thermal decomposition.

#### 5.3. Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Use water spray to cool containers exposed to fire.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective gloves and eye protectors.

#### 6.2. Environmental precautions

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 3 of 12

Should not be released into the environment., Collect and dispose of unused residues.

#### 6.3. Methods and materials for containment and cleaning up

Collect material and place in a disposal container. Obey relevant local, state, provincial and federal laws and regulations.

#### 6.4. Reference to other sections

For personal protection see section 8.

#### 7. Handling and storage

#### 7.1. Precautions for safe handling

Safe handling advice Avoid dust formation. During thermoplastic processing, vapours of the

decomposition products referred to in section 10 are given off, which are technically unavoidable (Observe exposure threshold limit values). During

thermal processing and/or machining local exhaust ventilation at

processing machines is necessary.

Advice on protection against fire

and explosion

Take precautionary measures against static discharges. In the event of

fire, cool the endangered product with water.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Storage: dry.

#### 8. Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limit Information**

#### ACRYLIC COPOLYMER trade secret

Occupational Exposure Values	Remark(s):
ACGIH TLV-TWA	not established
ACGIH TLV-STEL	not established
OSHA PEL-TWA	not established
OSHA PEL-STEL	not established
NIOSH REL-TWA	not established
NIOSH REL-STEL	not established

#### 8.2. Exposure controls

#### **Engineering controls**

If use operations generate dust, use adequate ventilation.

#### 8.3. Personal protective equipment

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 4 of 12

Protective measures To identify additional Personal Protective Equipment (PPE) requirements,

it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this

product.

Hygiene measures Follow the usual good standards of occupational hygiene.

Respiratory protection A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant a

respirator's use.

Hand protection protective gloves against mechanical risks according to EN 388

General information For each work-place a suitable glove type has to be selected.

Eye protection goggles for machining operations

#### 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Colour transparent Form sheets Odor odourless

Odour Threshold no data available

physical state solid

Melting point/freezing point Softening Temperature

ca. 100 °C ca. 210 °F

Boiling point/range not applicable

Flash point > 250 °C (ASTM D 1929-68)

> 480 °F (ASTM D 1929-68)

Evaporation rate not applicable

Ignition temperature no data available

Autoignition temperature > 400 °C

> 750 °F

Decomposition temperature This material is considered stable under specified conditions of storage, shipment

and/or use.

Depolymerization begins at 250 °C / 482 °F.

Impact Sensitivity no data available

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 5 of 12

Lower explosion limit not applicable

Upper explosion limit not applicable

Flammability (solid, gas) no data available

Vapour pressure not applicable

Density ca. 1.20 g/cm3 at 20 °C / 68 °F

Relative density no data available

Bulk density no data available

Relative vapour density (related

to air)

not applicable

Solubility in water insoluble

Solubility (quantitative) no data available

Solubility (qualitative) in e.g. esters, ketones and chlorinated hydrocarbons: readily soluble

pH not applicable

n-Octanol/water partition

coefficient

not applicable

Viscosity (dynamic) not applicable

Viscosity (kinematic) not applicable

#### 9.2. Other information

none

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 6 of 12

#### 10. Stability and reactivity

#### 10.1. Reactivity

see section 10.2.

#### 10.2. Chemical stability

This material is considered stable under specified conditions of storage, shipment and/or use. Depolymerization begins at 250 °C / 482 °F.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4. Conditions to avoid

High temperature.

#### 10.5. Incompatible materials

None reasonably foreseeable.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

#### 11. Toxicological information

#### 11.1. Information on toxicological effects

toxicokinetics, metabolism and

distribution

The substance is practically not bioavailable

(structure-activity-relationships)

(analogy)

Acute Oral Toxicity

no specific test data available

no evidence for hazardous properties

(structure-activity-relationships)

(analogy)

Caustic burning / irritation of skin

no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Serious eye damage/eye irritation

no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Respiratory/skin sensitization

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 7 of 12

no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Aspiration hazard no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Mutagenicity assessment no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Carcinogenicity no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Reprotoxicity / teratogenicity no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

CMR assessment CMR: no

no specific test data available (structure-activity-relationships)

(analogy)

Specific Target Organ Toxicity -

Single exposure

no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

Specific Target Organ Toxicity -

Repeated exposure

no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

General information The product has not been tested toxicologically.

When handled and used as directed the product will not cause hazardous effects to health according to studies on similar products and practical

experience.

The fine particles contained in the product may cause mechanical

irritations of the skin, eyes and mucous membranes.

Avoid skin and eye contact and inhalation of product dust/aerosols.

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 8 of 12

#### 12. Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic

environment

no specific test data available no evidence for hazardous properties (structure-activity-relationships)

(analogy)

#### 12.2. Persistence and degradability

Persistence and degradability no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

#### 12.3. Bioaccumulative potential

Bioaccumulation no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

#### 12.4. Mobility in soil

Mobility no specific test data available

no evidence for hazardous properties (structure-activity-relationships)

(analogy)

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment PBT: no

vPvB: no

#### 12.6. Other adverse effects

General Information The product has not been tested ecotoxicologically. On the basis of the

products consistency as well as its low water solubility a bioavailability is unlikely. Studies on products with similar composition confirm this

assumption. Prevent substance from entering soil, natural bodies of water

and sewer systems.

#### 13. Disposal considerations

#### 13.1. Waste treatment methods

Product Waste must be disposed of in accordance with federal, state and local

regulations. Incineration is the preferred method. CYRO encourages the recycle, recovery and reuse of materials, where permitted, as an alternate

to disposal as a waste.

Uncolleaned packaging Uncontaminated packaging may be taken for recycling.

ROE-US-GHS V\_00 System: R11.011 US 08.08.2018 17:49 VA-Nr

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 9 of 12

#### 14. Transport information

#### **US DOT Hazard Classification**

Not subject to the regulations on dangerous goods.

#### **Canadian TDG Classification**

Not subject to the regulations on dangerous goods.

#### Shipment by sea IMDG/GGVSee

Not dangerous according to transport regulations.

#### Air transport ICAO/IATA

Not dangerous according to transport regulations.

#### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### INVENTORY INFORMATION

REACH (EU) preregistered, registered or exempted
TSCA (USA) listed or exempted
DSL (CDN) listed or exempted
AICS (AUS) listed or exempted
METI (J) listed or exempted
ECL (KOR) listed or exempted

ECL (KOR) listed or exempted PICCS (RP) listed or exempted IECSC (CN) listed or exempted HSNO (NZ) listed or exempted ECS (Taiwan) listed or exempted

US FEDERAL REGULATORY INFORMATION

CERCLA RQ SARA 302 SARA 313

Component / CASRN TPQ [lbs] List of (40CFR372) TSCA

[lbs] (40CFR302.4) EHS 12b

NONE

**COMPONENT CLASSIFICATION UNDER CLEAN AIR ACT SECTION 112** 

Component / CASRN Weight % HAP EHAP

NONE

#### PRODUCT CLASSIFICATION UNDER SECTION 311/312 OF SARA (40CFR370)

NONE

#### US STATE REGULATORY INFORMATION

Component / CASRN

New Jersey Pennsylvan Massachus Proposition Proposition

RTK ia RTK etts RTK 65 65

Cancer Reproducti

ve

# Safety Data Sheet OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



RYLITE® - Res	ist - Sheets/Tubes					Page 10 of
acrylic polyi	mer /	N	O NO	NO	NO	NO
This produc	et contains (a) che	emical(s) known t	o the State of C	California to ca	ause cancer.	
CANADIAN	REGULATION					
•					the Controlled Prod led Products Regul	
This is a no WHMIS:NO	n-controlled prod	uct.				
Component	Component / CASRN					
NONE						
Other infor	mation					
	Health		Flammability		Physical Hazard	
HMIS-Ratin	gs	0		1	0	
NFPA-Ratir	ngs	0		1	0	
	HMIS Ha	HMIS Hazard Ratings NFPA H		NFPA Haza	Hazard Ratings	
	4 = sever 3 = serio	_		4 = extreme 3 = high		

Other information none

relevant manuals and publications References

2 = moderate

1 = slight

0 = minimal

own examinations

own toxicological and ecotoxicological studies

toxicological and ecotoxicological studies of other manufacturers

2 = moderate

0 = insignificant

N = no rating for powders

1 = slight

SIAR

N = no rating for powders

\* = chronic health hazard

**OECD-SIDS** RTK public files

**Revision Date** 06/23/2015

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



ACRYLITE® - Resist - Sheets/Tubes

Page 11 of 12

Places marked by | have been amended from the last version.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Date of printing: 08/08/2018

ROE-US-GHS V\_00 System: R11.011 US 08.08.2018 17:49 VA-Nr

OSHA 1910.1200

Revision Date: 06/23/2015 Print Date: 08/08/2018

Version: 2.0



#### ACRYLITE® - Resist - Sheets/Tubes

Page 12 of 12

Legend

ACC American Chemistry Council

ACGIH American Conference of Governmental Industrial Hygenists

ACS Advisory Committee on Sustainability

ADI Acceptable Daily Intake

**ASTM** American Society for Testing and Materials

ATP Adaptation to Technical Progress

BCF Bioconcentration factor
Biochemical oxygen demand

c.c. closed cup
CAO Cargo Aircraft Only
Carc Carcinogen

CAS Chemical Abstract Services

CDN Canada

CEPA Canadian Environmental Protection Act

CERCLA Comprehensive Environmental Response – Compensation and Liability Act

CFR Code of Federal Regulations

CMR carcinogenic-mutagenic-toxic for reproduction

COD Chemical oxygen demand

DIN German Institute for Standardization DM EL Derived minimum effect level Derived no effect level DNEL DOT Department of Transportation half maximal effective concentration **EC50** Environmental Protection Agency **EPA** ErC50 Reduction of Growth Rate Emergency Response Guide Book ERG Food and Drug Administration FDA

GHS Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

GLP Good Laboratory Practice
GMO Genetic Modified Organism
HCS Hazard Communication Standard
HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
IATA International Air Transport Association

IBC Intermediate Bulk Container

ICAO-TI International Civil Aviation Organization- Technical Instructions

ICCA International Council of Chemical Association

ID Identification number

IMDG International Maritime Dangerous Goods

IUPAC International Union of Pure and Applied Chemistry
ISO International Organization For Standardization

LC50 50 % Lethal Concentration

**LD50** 50 % Lethal Dose **L(E)C50** LC50 or EC50

LOAEL Low est observed adverse effect level

**LOEL** Low est observed effect level

MARPOL International Convention for the Prevention of Pollution from Ships

NFPA National Fire Protection Association
NOAEL No observed adverse effect level
NOEC no observed effect concentration

**NOEL** no observed effect level

o. c. open cup

OECD Organisation for Economic Cooperation and Development

OEL Occupational Exposure Limit

OSHA Occupational Safety and Health Administration

PBT Persistent, bioaccumulative, toxic
PEC Predicted effect concentration
PNEC Predicted no effect concentration

RQ Reportable Quantity SDS Safety Data Sheet

STOT Specific Target Organ Toxicity

**UN** United Nations

vPvB very persistent, very bioaccumulative

voc volatile organic compounds

WHMIS Workplace Hazardous Materials Information System

WHO World Health Organization